

VISIONS

BECOME TRUE

FERNGESTEUERTE MODELLE UND ZUBEHÖR

14+

ELECTRIC SOOTER



Item No.: 27026, 27027

AMEWI Trade e.K.
Nikolaus-Otto-Str. 6
33178 Borcheln
Germany
www.amewi.com
service@amewi.com



<http://www.facebook.com/amewicom>

VISIONS

BECOME TRUE

FERNGESTEUERTE MODELLE UND ZUBEHÖR

Welcome!

AMEWI TRADE e.K.

Is a young, fresh, international Import and Wholesale company in the RC and Toy industry located in Paderborn.

Our product range contains over 4000 articles.

Containing to it are Cars, Helicopters, Quadrocopters, Boats and Tanks including a lot of extra parts and all needed spare parts.

Our distribution network contains over 450 specialist dealers and online shops.



AMEWI Trade e.K. is an Wholesale Company.

We only distribute our goods to retailers.

If you are an End- Customer who is buying AMEWI-Products , you contract with your retailer.

In case of warranty please always contact your retailer.

VISIONS

BECOME TRUE

FERNGESTEUERTE MODELLE UND ZUBEHÖR

Quality Assurance

Thank you for your purchase of the product from us.

Please observe the following regulations carefully to enjoy your benefit:

Please note that no quality assurance will be provided in case of one of the followings:

1. The quality assurance period has expired.
2. The scooter fails because of misuse, lack of maintenance and adjustment in breach of the use instructions.
3. The scooter is damaged due to improper use and storage or incident.
4. The scooter is damaged because the user tampers with it, or its fault can not be technically identified and analyzed because the user disassembles it to change its original fault state.
5. The scooter fails because the user does not use the original charger.
6. The data on the item without effective invoice do not comply with the information.
7. The scooter is damaged because of its contact with smoke, drug, chemical, water, etc.
8. The electronic system of the entire scooter is damaged by moisture, rain, snow, etc.
9. The scooter is damaged by act of God, including, but not only limited to flood, fire, lightning, earthquake, social event, etc.
10. Consumables are not covered. Examples listed but not limited to lamp, display, brake disc, tyre, rubber part, plastic part, etc.
11. The user is not satisfied with the scooter color, dimension, etc.

Declaration of Conformity

This product has been manufactured according to actual technical standards. The product is matching the requirements of the existing European and national guidelines. The Declaration of Conformity has been proofed. AMEWI Trade e.K. declares that this product is matching the basic requirements and remaining regulations of the guideline R&TTE 2014/53/EU. The product is conform according to the guidelines of the R&TTE.

The declarations and documents are stored at the manufacturer and can be requested and applied there.

AMEWI Trade e.K., Nikolaus-Otto-Str. 6, DE-33178 Borcheln, Fax: +49 (0)5251/288965-19, Email: info@amewi.com, www.amewi.com.

For additional questions to the product and conformity please contact:

AMEWI Trade e.K., Nikolaus-Otto-Str. 6, DE-33178 Borcheln, Fax: +49 (0)5251 / 288965-19, Email: info@amewi.com.



Security and Hazard Warnings



Attention! For damage, caused by disregarding of the manual, warranty expires !

We are not liable for secondary failures, material or personal damage, caused by improper usage or disregarding the security notices.

Attention! Based on security and registration (CE) reasons, it is forbidden to modify the product personally. Do not disassemble the product.

Attention! Small parts. Danger of suffocation or risk of injury caused by small parts.

Attention! Suitable for people aged 14+ !



The product is not allowed to get moist or wet. The product is only allowed to be used on flat and clean surfaces. Even a drop down from a small height can cause damage to the product. Usage of more than one Products of same Frequency at the same time is not possible, because it will affect each other.

Battery Notice and Battery Disposal



Attention! Battery do not belong in childrens hands. A change of the battery has to be done by an adult person. Never mix chargeable batteries with non-chargeable batteries. Never mix fully charged batteries with almost empty batteries. Never mix batteries of different capacities. Never try to charge dry batteries. Take care of the correct polarity. Defective batteries belong to special waste. Never leave a charging battery unattended. For questions about the charging time please read the manual or ask the manufacturer.

Disposal



The company AMEWI is registered below the WEEE Reg. Nr. DE93834722 at the foundation EAR and recycles all used electronic parts properly. Electric and electronical products are not allowed to put in household garbage. Please dispose the product at the end of the lifetime according to the actual laws. You as a customer are responsible by law for the return of all used batteries, a disposal over the household garbage is forbidden !

Batteries containing hazardous substances are marked with the alongside symbols, which point to the prohibition of disposal in household garbage.

Additional notations for the critical heavy metal are: Cd=Cadmium, Hg=Quecksilver, Pb=lead (Label is placed on the batteries, for example below the bottom left trash symbols).



Based on RoHS labeling the manufacturer confirms, that all limit values were taken care of at the time of manufacturing.



Batteries labeled with the recycling symbol can be put into used battery collecting tank.
(Most supermarkets have)

They are not allowed to be put into local household garbage.



AMEWI Trade e.K. is involved in the dual system for boxing over the company Firma Landbell AG.

All used boxes are collected from partner companies (waste disposal contractor) at private customers (local household), sorted and properly utilized. The Involvement in a Dual Systems helps to save CO² Emissions.

Product and Accesories



Performance Indicators	Items	Parameters
Size	Folding Size(mm)	1000*405*235
	Open size(mm)	920*405*1000
	Carton Size(mm)	1030*180*245
Weght	Maximum Load(kg)	90
	Vehicle Weight(kg)	About 6.5/7 (Equipped with 2 kinds of batteries different endurance)
Riding Requirements	Applicable Age(years old)	16-50
	Suirtable Heights(cm)	130-200
Vehicle Main Parameters	Maximum Speed(km/h)	About 23
	Typical Endurance(km/h)	About 19/28
	Maximum Gradability	20 Degrees
	Suitable Terrain	Hard surface, flat rode, ramps under 20 degrees, step no more than 1cm, channel less than 2cm
	Working Temperature	0℃—40℃
	Storage Temperature	Ten degrees below zero to 45℃
	Waterproof Level	IP55(living waterproof, can be used in the porina rain)
Battery Parameters	Nominal Voltage(v)	24
	Input Voltage(v)	29.4
	Battery Capacity(mAh)	8800/10400(Ecluipped with 2 kinds of batteries different endurance)
	Intelligence BMS	Balance,Over-charge,Undervoltage, Overheating automatic cutout
Motor Parameter	Power(w)	50-250
	Certifications	CE. ROHS
Charger Parameters	Rated Power(w)	32
	Rated Input Voltage(v)	90-240
	Rated Output Voltage(v)	29.4
	Rated Current(A)	1.1
	Certifications	CE,UL,SAA
	Charging Time(h)	About 4

Instrument menu

please be careful read below functional figure before operation Vehicle.

1. meter shape



2. keyboard

there are 4 instruments, switch and exchange key, speed up key, slow down key, the different functional and role exchanged by long press the key and short press the key. press combinat1 on any two keys will perform other function and role.

3. Operation

Battery indicator, the speed figure rapidly show out according to vehicle running condition to change, can set up in single mileage and multi mileages.

Short press with VOL means battery voltage, short press with dis, means in this time ride kilometer in this condition, long press, to delete single record.

Short press show ODO means overall running kilometer you had, in this condition, long press to delete all record.



Short press, indicates RPM, means the motor spin speed

Short press indicates TIME, Means in this time ride time.

Short press1 key or key, modify assistance drive.

Long press, turn on or turn off instrument indicator.

Charger connecting



Dc-in jack

Charger port

1. plug in the plug into charger port.

Note: please align charger two ports



Folding Steps

1) Fold

1. Hold the folded link and pull
2. Push down the vehicle body head tube
3. Folded after hearing click



2) unfold

1. Stand up the vehicle body and press the "unlock button" with hands
2. Lower down the vehicle body pedal
3. Expanded after hearing click



Steering rod assembly

Screw to remove the assembly, avoid scratching a carbon fiber



Daily Maintenance

• Storage and Cleaning

If stains happen on the surface of vehicles, wiping with a soft wet cloth. If there are stubborn stains, you can wipe firstly with a soft cloth smeared toothpaste. Then clean with a wet cloth.

Reminder: Don't clean with alcohol, gas, kerosene and other corrosive and volatile chemical solvent, or it will badly damage appearance and internal structure of vehicles, spray washing by pressure water guns is forbidden. Please keep switched off, unplug the charging cable and clog charging rubber cover, otherwise, you may get an electric shock or it may result in serious problems to the vehicles because of flooding water.

Store it in the dry and cool room when you don't use it, try to avoid staying it outside for a long time. Outdoor environmental factors such as sunlight exposure / overheating / undercooling will accelerate the ageing of appearance and wheels and reduce the life time of batteries.

• Maintenance of Batteries

Please don't store batteries in the environment over 50°C or under 20°C (for example, please don't store batteries in the car in sun exposure), prohibiting putting batteries into fire, otherwise it may cause risk of batteries invalidation, overheating even fire. Please reference batteries nameplate under the vehicles to know the other maintenance considerations of batteries.

To avoid charging after power consistently drained, try to charge early and often. It can extend batteries' life highly. In addition, using at normal temperatures, batteries can exert higher endurance distance and performance. If using under 0°C, batteries' life and performance will reduce. Typical situation, under -20°C, endurance distance may just half or lower compared with normal temperature. After increasing temperature, batteries' endurance distance will resume.

Reminder: Fully charged will run out of stored power after 90-120 days in standby mode. The stored power will be ran out of after 20-50 days in standby mode if it is not fully charged. If you don't charge in time, it may cause damage to batteries for excessive discharge, and this damage is unrecoverable. The damage caused by without charge for a long time will not charge any more, and it can't be repaired free. (Notes: Non-professionals are forbidden from dismantling batteries casually, otherwise, it may cause serious safety accidents by electric shock or short circuit)

Safety Instruction

- You must wear helmets and protective body gear when driving.
- Riding to vehicle roads and Crowded residence communities is Forbidden. Prohibit from riding in the ponding over 2cm. Carrying Children or many people riding the at the same time is under ban You must Can't ride When Walking up and down the stairs or escalators. please keep low speed(3-10 km/h) or stop when encountering speed bump, elevator threshold, pot hole.
- is a sport entertainment tool rather than vehicle. But when you drive it into the public area, it has Vehicle attribute, so it also has safety risk all of the vehicles may exist. Driving according to the reminder of the usage manual strictly will protect your and other's safety maximumly.
- You should understand at the same time: Once driving into public roads or other public areas, you might be face with the risk caused by motoring offences/ improper operations of other people or vehicles, even if you operate as the usage manual totally Just like walking or riding bikes may be harmed by other vehicles. As all of vehicles, the speed of driving be faster, the braking distance will be longer, emergency braking on the smooth surface may result in losing balance even tumbling because of wheel slip. so keeping alert, proper speed, keeping rational safety distance with other people and vehicles during driving is very important. Please keep alert and low speed before driving into unfamiliar terrain
- Please respect the right of way when driving. Avoiding scaring pedestrians, especially to the kids Remind them and decelerate when passing behind the pedestrians. Possibly passing from the left of Pedestrians(applicable to the countries of vehicles keeping to the right). when facing with pedestrians, keeping to the right and decelerating.
- Driving in the countries and areas without national standard and rules related with scooters, you must abide strictly by usage manual's safety requirements to drivers. To the losses in property and human, accidents, legal disputes and other every adverse event of resulting adverse event caused by the behaviors of violating manual's reminder, won't take any direct responsibility and joint liability.
- To avoid hurt, Please don't borrow to the people don't know how to use it. Please teach him/her and tell him/her to wear helmets and protective body gear when driving if you send it to your friends.
- Please check it before riding. If you find obvious abnormal conditions of parts loosening, battery life reducing obviously or excessive wear, sound parts and so on, please stop using immediately please contact our customer service to get professional conduct about product maintenance and service.

VISIONS

BECOME TRUE

FERNGESTEUERTE MODELLE UND ZUBEHÖR



Serviceformular Endkunden / Customer Service Sheet

Bitte füllen Sie das Serviceformular bei einer Reklamationseinsendung an Ihren Händler aus und legen dieses dem Produkt bei. / Please fill out the service sheet and attach to your reclamation which you send to your dealer.

Kaufbeleg / Quittungin Kopie bitte anheften
Please attach your bill of purchase

Bitte in Druckbuchstaben leserlich ausfüllen / Please fill out in capital letters :

Name des Käufers / Name: _____

Land / Country: _____

PLZ / Stadt /Postal / City: _____

Telfonnummer / Phone number: _____

Email /Email: _____

Rechnungsnummer / Bill number: _____

Händlername / Dealer name: _____

Fehlerbeschreibung / Failure Description:

Händlerinformationen:

Bitte erstellen Sie online im Servicetool einen Serviceauftrag.
Drucken Sie diesen aus und senden diesen mit der Reklamation und Rechnung / Lieferschein mit.

Dealer information notice:

Please create a service request online in the AMEWI service tool, print the service request and attach the printed request including the bill of purchase to this reclamation.

